



ELEGANCE AND ROBUSTNESS


Designed to last long time, with generous internal spaces and rich equipment, Cadet Rib will coat your boat with elegance. Equipped with large diameter tubes, they are particularly stable and able to fit several passengers and food without getting wet. Their Pronounced V-hull in polyester allows an excellent lift-off and comfort in the small lapping. Available in 2 colors, Strongan fabric or Hypalon for intensive use in tropical areas.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.6m -8'6"	MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	400 - 882
INSIDE LENGTH (m-ft)		NUMBER OF WATERTIGHT COMPARTMENTS	3
OVERALL BEAM (m-ft)	1.72m -5'8"	SHAFT	5
INSIDE BEAM (m-ft)	1.56m -5'1"	MAXIMUM ALLOWED POWER (HP)	10
TUBE DIAMETER (m-ft)	0.7m -2'7"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	52 - 115
STRONGAN WEIGHT (Kg - Lbs)	0.42m -1'5"	HULL LENGTH (m - ft)	2.15m -7'1"
WEIGHT NEO (Kg - Lbs)	52 - 115	HULL WIDTH (m - ft)	1m -3'3"
NUMBER OF PASSENGERS (CAT. C)	54 - 120	HULL HEIGHT (m - ft)	0.45m -1'6"
	3		

VERSIONS

Cadet 260 Rib NEO grey
 Cadet 260 Rib Strongan grey



STANDARD EQUIPMENT

HULL & DECK: 2 nipping rings, 2 Towing rings, 1 Bow D ring, 1 Self-bailer, 3 lifting points.

COMFORT: Removable thwart.

TUBE: 2 Carrying handles / 6 internal handles.

OTHER: Aluminum oars, Foot pump, Repair kit / Owner's manual, Tank securing system.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

HULL & DECK

Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Pressure gauge

TAXES

Eco contribution France -4m SR



ELEGANCE AND ROBUSTNESS


Designed to last long time, with generous internal spaces and rich equipment, Cadet Rib will coat your boat with elegance. Equipped with large diameter tubes, they are particularly stable and able to fit several passengers and food without getting wet. Their Pronounced V-hull in polyester allows an excellent lift-off and comfort in the small lapping. Available in 2 colors, Strongan fabric or Hypalon for intensive use in tropical areas.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.9m -9'6"	MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	450 - 992
INSIDE LENGTH (m-ft)	1.95m - 6'5"	NUMBER OF WATERTIGHT COMPARTMENTS	3
OVERALL BEAM (m-ft)	1.56m -5'1"	SHAFT	S
INSIDE BEAM (m-ft)	0.7m -2'4"	MAXIMUM ALLOWED POWER (HP)	15
TUBE DIAMETER (m-ft)	0.42m -1'5"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	55 - 121
STRONGAN WEIGHT (Kg - Lbs)	71 - 157	HULL LENGTH (m - ft)	2.4m -7'10"
WEIGHT NEO (Kg - Lbs)	75 - 165	HULL WIDTH (m - ft)	1.05m -3'5"
NUMBER OF PASSENGERS (CAT. C)	4	HULL HEIGHT (m - ft)	0.45m -1'6"

VERSIONS

- Cadet 290 Rib NEO white
- Cadet 290 Rib NEO grey
- Cadet 290 Rib Strongan grey



STANDARD EQUIPMENT

HULL & DECK: 2 nipping rings, 2 Towing rings, 1 Bow D ring, 1 Self-bailer, 3 lifting points.

COMFORT: Removable thwart.

TUBE: 2 Carrying handles / 6 internal handles.

OTHER: Aluminum oars, Foot pump, Repair kit / Owner's manual, Tank securing system.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

HULL & DECK

Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Pressure gauge

TAXES

Eco contribution France -4m SR



ELEGANCE AND ROBUSTNESS


Designed to last long time, with generous internal spaces and rich equipment, Cadet Rib will coat your boat with elegance. Equipped with large diameter tubes, they are particularly stable and able to fit several passengers and food without getting wet. Their Pronounced V-hull in polyester allows an excellent lift-off and comfort in the small lapping. Available in 2 colors, Strongan fabric or Hypalon for intensive use in tropical areas.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.1m -10'2"	MAXIMUM PAYLOAD (CAT. B) (Kg-Lbs)	0
INSIDE LENGTH (m-ft)	2.2m -7'3"	NUMBER OF WATERTIGHT COMPARTMENTS	3
OVERALL BEAM (m-ft)	1.72m -5'8"	SHAFT	5
INSIDE BEAM (m-ft)	0.8m -2'7"	MAXIMUM ALLOWED POWER (HP)	25
TUBE DIAMETER (m-ft)	0.45m -1'6"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	95 - 210
STRONGAN WEIGHT (Kg - Lbs)	77 - 170	HULL LENGTH (m - ft)	2.7m -8'10"
WEIGHT NEO (Kg - Lbs)	81 - 179	HULL WIDTH (m - ft)	1.13m -3'8"
NUMBER OF PASSENGERS (CAT. C)	5	HULL HEIGHT (m - ft)	0.45m -1'6"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	480 - 993		

VERSIONS

- Cadet 310 Rib NEO white
- Cadet 310 Rib NEO grey
- Cadet 310 Rib Strongan grey



STANDARD EQUIPMENT

HULL & DECK: 2 nipping rings, 2 Towing rings, 4 lifting points, Bow locker, 1 Bow D ring, 1 Self-bailer.

COMFORT: Removable thwart (double position).

TUBE: 2 Carrying handles / 6 internal handles.

OTHER: Aluminum oars, Foot pump, Repair kit / Owner's manual, Tank securing system.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

CONSOLES

Console Jockey white 1 place with 10' cable

SEATS

2nd bench

HULL & DECK

Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Pressure gauge
Steering kit Bay Runner

TAXES

Eco contribution France -4m SR



ELEGANCE AND ROBUSTNESS


Designed to last long time, with generous internal spaces and rich equipment, Cadet Rib will coat your boat with elegance. Equipped with large diameter tubes, they are particularly stable and able to fit several passengers and food without getting wet. Their Pronounced V-hull in polyester allows an excellent lift-off and comfort in the small lapping. Available in 2 colors, Strongan fabric or Hypalon for intensive use in tropical areas.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.4m -11'2"	MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	610 - 1345
INSIDE LENGTH (m-ft)	2.48m -8'2"	NUMBER OF WATERTIGHT COMPARTMENTS	3
OVERALL BEAM (m-ft)	1.72m -5'8"	SHAFT	S
INSIDE BEAM (m-ft)	0.8m -2'7"	MAXIMUM ALLOWED POWER (HP)	25
TUBE DIAMETER (m-ft)	0.45m -1'6"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	72 - 159
STRONGAN WEIGHT (Kg - Lbs)	93 - 209	HULL LENGTH (m - ft)	3m -9'10"
WEIGHT NEO (Kg - Lbs)	97 - 214	HULL WIDTH (m - ft)	1.24m -4'1"
NUMBER OF PASSENGERS (CAT. C)	5+1	HULL HEIGHT (m - ft)	0.59m -1'11"

VERSIONS

- Cadet 340 Rib NEO white
- Cadet 340 Rib NEO grey
- Cadet 340 Rib Strongan grey



STANDARD EQUIPMENT

HULL & DECK: 2 nipping rings, 2 Towing rings, 4 lifting points, Bow locker, 1 Bow D ring, 1 Self-bailer.

COMFORT: Removable thwart (double position).

TUBE: 2 Carrying handles / 6 internal handles.

OTHER: Aluminum oars, Foot pump, Repair kit / Owner's manual, Tank securing system.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

CONSOLES

Console Jockey white 1 place with 10' cable

SEATS

2nd bench

HULL & DECK

Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Pressure gauge
Steering kit Bay Runner

TAXES

Eco contribution France -4m SR



ELEGANCE AND ROBUSTNESS


Designed to last long time, with generous internal spaces and rich equipment, Cadet Rib will coat your boat with elegance. Equipped with large diameter tubes, they are particularly stable and able to fit several passengers and food without getting wet. Their Pronounced V-hull in polyester allows an excellent lift-off and comfort in the small lapping. Available in 2 colors, Strongan fabric or Hypalon for intensive use in tropical areas.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.9m -12'10"	MAXIMUM PAYLOAD (CAT. B) (Kg-Lbs)	TBC
INSIDE LENGTH (m-ft)	2.9m -9'6"	NUMBER OF WATERTIGHT COMPARTMENTS	3
OVERALL BEAM (m-ft)	1.9m -6'3"	SHAFT	XXL mono / XL bi
INSIDE BEAM (m-ft)	2.03m -6'8"	MAXIMUM ALLOWED POWER (HP)	50
TUBE DIAMETER (m-ft)	0.45m -1'6"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	115 - 254
BARE BOAT WEIGHT (Kg - Lbs)	181 - 399	HULL LENGTH (m - ft)	3.63m -11'11"
PACK WEIGHT (Kg - Lbs)	227 - 500	HULL WIDTH (m - ft)	1.24m -4'1"
NUMBER OF PASSENGERS (CAT. C)	7	HULL HEIGHT (m - ft)	0.69m -2'3"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	780 - 1720	DEADRISE	19°

VERSIONS

Cadet 390 Rib NEO white



STANDARD EQUIPMENT

HULL & DECK: 1 fast flow bailer, 2 transom chain plates, 4 inner lifting points, Bow locker, 1 Bow D ring, 1 bow cleat .

COMFORT: 1 Thwart.

Side boarding ladder.

TUBE: 2 external handles, 8 internal handles.

OTHER: 2 telescopic paddles, Inflator with manometer, Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

CONSOLES

Console Jockey white 1 place with 10' cable
Console jockey white 2 places without cable
Console Optima 800 white without cable
White console Access without cable

SEATS

2nd bench
Seat Optima 450 white 1 place without backrest
Seat Optima 450 white 2 places

HULL & DECK

Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Cable 9'
Davit-launched sling kit
Flexible tank 35L black
Pressure gauge
Soft tank 70L Black
Tank support plate

TAXES

Eco contribution France -4m SR