



SPORT

Real kart of the seas, its driving will offer extreme sensations. Its patented hull composed of 2 additional side tubes, Provides an extraordinary stability when cornering and it comfortably absorbs the small lapping at full speed.

FUN

Depending on your program, choose the anodized aluminum version, perfectly rigid, for a load-in-use; or the one with high pressure inflatable floor for a better ease of use without reducing its outstanding performance: roll out, inflate, engine!

PLIABLE

Futura comes with an inflatable floor Fastroller (FR) or aluminum floor. The aluminum version can be equipped as a pack with an ingenious leaning post, set without tools on the floor rail, allowing a free and adjustable positioning.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.7m -12'2"	NUMBER OF WATERTIGHT COMPARTMENTS	3+2+1
INSIDE LENGTH (m-ft)	2.6m -8'6"	SHAFT	5
OVERALL BEAM (m-ft)	1.99m -6'6"	MAXIMUM ALLOWED POWER (HP)	40
INSIDE BEAM (m-ft)	0.89m -2'11"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	95 - 209
TUBE DIAMETER (m-ft)	0.55m -1'6"	BAG LENGTH (m - ft)	1.4m -4'7"
WEIGHT (Kg-Lbs)	120 - 265	BAG WIDTH (m - ft)	0.75m -2'6"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	860 - 1896	BAG HEIGHT (m - ft)	0.63m -2'1"

VERSIONS

Mark II C Futura Alu red

Mark II C Futura Alu Pack red

Including mini console Z1386 + steering cable + 2 benches Z1255



STANDARD EQUIPMENT

HULL & DECK: 2 bailers, 2 Towing rings.

TUBE: 1 bow handle , 2 Polyester davit, 4 carrying handles / 2 internal handles, 1 defecting rubbing strake.

Reinforced cone ends fishtails.

OTHER: 1 pressure gauge, 1 removable bow bag , 2 transport bags, Foot pump , Pre-fitting for launching wheels , Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

CONSOLES

Console Jockey white 1 place with 10' cable
Mini console red without cable

SEATS

Sliding bench grey

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
2 trolleys Kit

Cable 7'
Fenders
Flexible tank 35L black
Kit 4 trolleys + strap and snap hooks
Launching wheels Futura
Mooring awning
Mooring awning pack
Pressure gauge
Tank support plate

TAXES

Eco contribution France 4 à 4,99m pneumatiques



SPORT

Real kart of the seas, its driving will offer extreme sensations. Its patented hull composed of 2 additional side tubes, Provides an extraordinary stability when cornering and it comfortably absorbs the small lapping at full speed.

FUN

Depending on your program, choose the anodized aluminum version, perfectly rigid, for a load-in-use; or the one with high pressure inflatable floor for a better ease of use without reducing its outstanding performance: roll out, inflate, engine!

PLIABLE

Futura comes with an inflatable floor Fastroller (FR) or aluminum floor. The aluminum version can be equipped as a pack with an ingenious leaning post, set without tools on the floor rail, allowing a free and adjustable positioning.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.7m -12'2"	NUMBER OF WATERTIGHT COMPARTMENTS	3+2+1+1
INSIDE LENGTH (m-ft)	2.6m -8'6"	SHAFT	S
OVERALL BEAM (m-ft)	1.99m -6'6"	MAXIMUM ALLOWED POWER (HP)	25
INSIDE BEAM (m-ft)	0.89m -2'11"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	72 -159
TUBE DIAMETER (m-ft)	0.55m -1'6"	BAG LENGTH (m - ft)	1.4m -4'7"
WEIGHT (Kg-Lbs)	72 -159	BAG WIDTH (m - ft)	0.75m -2'6"
NUMBER OF PASSENGERS (CAT. C)	5	BAG HEIGHT (m - ft)	0.63m -2'1"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	800 - 1764		

VERSIONS

Mark II C Futura FR red



STANDARD EQUIPMENT

HULL & DECK: 2 bailers, 2 Towing rings.

TUBE: 1 bow handle , 2 Polyester davit, 4 carrying handles / 2 internal handles, Comfort defecting rubbing strake.

Reinforced cone ends fishtails.

OTHER: 1 pressure gauge, 1 removable bow bag , 2 transport bags, Foot pump , Pre-fitting for launching wheels , Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder


OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Fenders

Flexible tank 35L black
Launching wheels Futura
Mooring awning
Pressure gauge

TAXES

Eco contribution France 4 à 4,99m pneumatiques



SPORT

Real kart of the seas, its driving will offer extreme sensations. Its patented hull composed of 2 additional side tubes, Provides an extraordinary stability when cornering and it comfortably absorbs the small lapping at full speed.

FUN

Depending on your program, choose the anodized aluminum version, perfectly rigid, for a load-in-use; or the one with high pressure inflatable floor for a better ease of use without reducing its outstanding performance: roll out, inflate, engine!

PLIABLE

Futura comes with an inflatable floor Fastroller (FR) or aluminum floor. The aluminum version can be equipped as a pack with an ingenious leaning post, set without tools on the floor rail, allowing a free and adjustable positioning.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	4.1m -13'5"	NUMBER OF WATERTIGHT COMPARTMENTS	4+2+1
INSIDE LENGTH (m-ft)	3m -9'10"	SHAFT	L
OVERALL BEAM (m-ft)	1.99m -6'6"	MAXIMUM ALLOWED POWER (HP)	50
INSIDE BEAM (m-ft)	0.89m -2'11"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	115 -254
TUBE DIAMETER (m-ft)	0.55m -1'10"	BAG LENGTH (m - ft)	1.4m -4'7"
WEIGHT (Kg-Lbs)	125 - 276	BAG WIDTH (m - ft)	0.75m -2'6"
NUMBER OF PASSENGERS (CAT. C)	7	BAG HEIGHT (m - ft)	0.63m -2'1"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	1100 - 2426		

VERSIONS

Mark II Futura Alu red

Mark II Futura Alu Pack red

Including mini console Z1386 + steering cable + 2 benches Z1255



STANDARD EQUIPMENT

HULL & DECK: 2 bailers, 2 Towing rings.

COMFORT: Removable tube in Hypalon-Neoprene.

TUBE: 1 bow handle, 2 Polyester davit, 4 carrying handles / 2 internal handles, Large deflating rubbing strake.

Reinforced cone ends fishtails.

OTHER: 1 pressure gauge, 1 removable bow bag, 2 transport bags, Foot pump, Pre-fitting for launching wheels, Repair kit / Owner's manual.

OPTIONS & ACCESSORIES

COMFORT

Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

CONSOLES

Console Jockey white 1 place with 10' cable
Mini console red without cable

SEATS

Sliding bench grey

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
2 trolleys Kit

Cable 9'
Fenders
Flexible tank 35L black
Kit 4 trolleys + strap and snap hooks
Launching wheels Futura
Mooring awning pack
Pressure gauge
Soft tank 70L Black
Tank support plate

TAXES

Eco contribution France 4 à 4,99m pneumatiques



SPORT

Real kart of the seas, its driving will offer extreme sensations. Its patented hull composed of 2 additional side tubes, Provides an extraordinary stability when cornering and it comfortably absorbs the small lapping at full speed.

FUN

Depending on your program, choose the anodized aluminum version, perfectly rigid, for a load-in-use; or the one with high pressure inflatable floor for a better ease of use without reducing its outstanding performance: roll out, inflate, engine!

PLIABLE

Futura comes with an inflatable floor Fastroller (FR) or aluminum floor. The aluminum version can be equipped as a pack with an ingenious leaning post, set without tools on the floor rail, allowing a free and adjustable positioning.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	4.1m -13'5"	NUMBER OF WATERTIGHT COMPARTMENTS	4+2+1+1
INSIDE LENGTH (m-ft)	3m -9'10"	SHAFT	L
OVERALL BEAM (m-ft)	1.99m -6'6"	MAXIMUM ALLOWED POWER (HP)	30
INSIDE BEAM (m-ft)	0.89m -2'11"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	75 - 165
TUBE DIAMETER (m-ft)	0.55m -1'10"	BAG LENGTH (m - ft)	1.4m -4'7"
WEIGHT (Kg-Lbs)	75 - 165	BAG WIDTH (m - ft)	0.75m -2'6"
NUMBER OF PASSENGERS (CAT. C)	6	BAG HEIGHT (m - ft)	0.63m -2'1"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	1000 - 2204		

VERSIONS

Mark II Futura FR red



STANDARD EQUIPMENT

HULL & DECK: 2 bailers, 2 Towing rings.

TUBE: 1 bow handle , 2 Polyester davit, 4 carrying handles / 2 internal handles ,
COMFORT: Deflecting rubbing strake.

Reinforced cone ends fishtails.

OTHER: 1 pressure gauge, 1 removable bow bag , 2 transport bags, Foot pump ,
Pre-fitting for launching wheels , Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Fenders

Flexible tank 35L black
Launching wheels Futura
Pressure gauge
Soft tank 70L Black

TAXES

Eco contribution France 4 à 4,99m pneumatiques



SPORT

Real kart of the seas, its driving will offer extreme sensations. Its patented hull composed of 2 additional side tubes, Provides an extraordinary stability when cornering and it comfortably absorbs the small lapping at full speed.

FUN

Depending on your program, choose the anodized aluminum version, perfectly rigid, for a load-in-use; or the one with high pressure inflatable floor for a better ease of use without reducing its outstanding performance: roll out, inflate, engine!

PLIABLE

Futura comes with an inflatable floor Fastroller (FR) or aluminum floor. The aluminum version can be equipped as a pack with an ingenious leaning post, set without tools on the floor rail, allowing a free and adjustable positioning.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	4.5m -14'9"	NUMBER OF WATERTIGHT COMPARTMENTS	5+2+1+1
INSIDE LENGTH (m-ft)	3.4m -11'2"	SHAFT	L
OVERALL BEAM (m-ft)	2.05m -6'9"	MAXIMUM ALLOWED POWER (HP)	40
INSIDE BEAM (m-ft)	0.9m -2'11"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	95 - 209
TUBE DIAMETER (m-ft)	0.57m -1'11"	BAG LENGTH (m - ft)	1.4m -4'7"
WEIGHT (Kg-Lbs)	81 - 179	BAG WIDTH (m - ft)	0.75m -2'6"
NUMBER OF PASSENGERS (CAT. C)	8	BAG HEIGHT (m - ft)	0.63m -2'1"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	1200 - 2646		

VERSIONS

Futura MK III FR



STANDARD EQUIPMENT

HULL & DECK: 2 bailers, 2 Towing rings.

TUBE: 1 bow handle , 2 Polyester davit, 4 carrying handles / 2 internal handles ,
COMFORT: Deflecting rubbing strake.

Reinforced cone ends fishtails.

OTHER: 1 pressure gauge, 1 removable bow bag , 2 transport bags, Foot pump ,
Pre-fitting for launching wheels , Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
Fenders

Flexible tank 35L black
Launching wheels Futura
Mooring awning
Pressure gauge
Soft tank 70L Black

TAXES

Eco contribution France 4 à 4,99m pneumatiques



SPORT

Real kart of the seas, its driving will offer extreme sensations. Its patented hull composed of 2 additional side tubes, Provides an extraordinary stability when cornering and it comfortably absorbs the small lapping at full speed.

FUN

Depending on your program, choose the anodized aluminum version, perfectly rigid, for a load-in-use; or the one with high pressure inflatable floor for a better ease of use without reducing its outstanding performance: roll out, inflate, engine!

PLIABLE

Futura comes with an inflatable floor Fastroller (FR) or aluminum floor. The aluminum version can be equipped as a pack with an ingenious leaning post, set without tools on the floor rail, allowing a free and adjustable positioning.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	4.5m -14'9"	NUMBER OF WATERTIGHT COMPARTMENTS	5+2+1
INSIDE LENGTH (m-ft)	3.4m -11'2"	SHAFT	L
OVERALL BEAM (m-ft)	2.05m -6'9"	MAXIMUM ALLOWED POWER (HP)	60
INSIDE BEAM (m-ft)	0.9m -2'11"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	120 - 265
TUBE DIAMETER (m-ft)	0.57m -1'11"	BAG LENGTH (m - ft)	1.4m -4'7"
WEIGHT (Kg-Lbs)	139 - 306	BAG WIDTH (m - ft)	0.75m -2'6"
NUMBER OF PASSENGERS (CAT. C)	9	BAG HEIGHT (m - ft)	0.63m -2'1"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	1280 - 2822		

VERSIONS

Mark III Futura Alu red

Mark III Futura Alu Pack red

Including mini console Z1386 + steering cable + 2 benches Z1255



STANDARD EQUIPMENT

HULL & DECK: 2 bailers, 2 Towing rings.

TUBE: 1 bow handle , 2 Polyester davit, 4 carrying handles / 2 internal handles,
COMFORT: Deflecting rubbing strake.

Reinforced cone ends fishtails.

OTHER: 1 pressure gauge, 1 removable bow bag , 2 transport bags, Foot pump ,
Pre-fitting for launching wheels , Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

CONSOLES

Console Jockey white 1 place with 10' cable
Mini console red without cable

SEATS

Sliding bench grey

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller
2 trolleys Kit

Cable 7'
Cable 9'
Fenders
Flexible tank 35L black
Kit 4 trolleys + strap and snap hooks
Launching wheels Futura
Mooring awning
Pressure gauge
Soft tank 70L Black
Tank support plate

TAXES

Eco contribution France 4 à 4,99m pneumatiques



PRACTICAL

Worthy heir of the first Zodiac boats, it has retained all its qualities: safe, stable and strong. Easy to move on the ground, with a pair of launching wheels, it is also very comfortable to drive on protected water bodies; its shallow draught allows it to access and "beach" around spots inaccessible to most of the other boats.

ECONOMICAL

Equipped with a very moderate power engine, it reaches honorable performances with a reduced fuel budget and maintenance.

PLIABLE

It can be fully dismantled, and stowed in its 2 bags, a few square meters are enough for the overwintering; and it's always ready to follow you for new adventures. Available with wooden or aluminum floor.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	4.2m -13'9"	NUMBER OF WATERTIGHT COMPARTMENTS	3+1
INSIDE LENGTH (m-ft)	2.95m -9'8"	SHAFT	Courot
OVERALL BEAM (m-ft)	1.83m -6'0"	MAXIMUM ALLOWED POWER (HP)	40
INSIDE BEAM (m-ft)	0.92m -3'0"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	95 - 209
TUBE DIAMETER (m-ft)	0.45m -1'6"	BAG LENGTH (m - ft)	1.44m -4'9"
WEIGHT (Kg-Lbs)	87 - 192	BAG WIDTH (m - ft)	0.68m -2'3"
NUMBER OF PASSENGERS (CAT. C)	7	BAG HEIGHT (m - ft)	0.35m -1'2"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	840 - 1852		

VERSIONS

Limited edition : Mark II Heritage

Mark II Classic Aluminum grey



STANDARD EQUIPMENT

HULL & DECK: 2 bailers, 2 Towing rings.

TUBE: 1 bow handle , 4 transport handles, Large deflecting rubbing strake,
Reinforced cone ends fishtails.

OTHER: 1 Flag holder with flag, 1 pressure gauge, 1 removable bow bag ,
2 transport bags, Foot pump , Pre-fitting for launching wheels ,
Repair kit / Owner's manual .

OPTIONS & ACCESSORIES

COMFORT

Bimini
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

CONSOLES

Console Jockey white 1 place with 10' cable
Mini console white without cable

SEATS

Sliding bench grey

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller

2 trolleys Kit
Cable 7'
Fenders
Flexible tank 35L black
Kit 4 trolleys + strap and snap hooks
Pressure gauge
Soft tank 70L Black
Tank support plate

TAXES

Eco contribution France 4 à 4,99m pneumatiques