

A RIB IN A BAG


Once deflated, the Compact Cadet takes up very little space thanks to its folding transom (Zodiac Nautic patent); It simply fits flat in a specially designed bag. Its set up is extremely fast: simply inflate, install the oars and then to the water! Very light and rotproof, thanks to its RIMTEC (Reinforced Injection Molding Technology) manufacturing Process, its hull Provides good stability: an exclusive Zodiac Nautic.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.5m -8'2"	MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	380
INSIDE LENGTH (m-ft)	1.62m -5'4"	NUMBER OF WATERTIGHT COMPARTMENTS	2
OVERALL BEAM (m-ft)	1.56m -5'1"	SHAFT	5
INSIDE BEAM (m-ft)	0.7m -2'4"	MAXIMUM ALLOWED POWER (HP)	8
TUBE DIAMETER (m-ft)	0.42m -1'5"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	42 - 93
STRONGAN WEIGHT (Kg - Lbs)	38 - 84	BAG LENGTH (m - ft)	1.76m -5'9"
WEIGHT NEO (Kg - Lbs)	40 - 88	BAG WIDTH (m - ft)	0.9m -2'1"
NUMBER OF PASSENGERS (CAT. C)	3	BAG HEIGHT (m - ft)	0.3m -0'12"

VERSIONS

Cadet 250 Compact Strongan grey



STANDARD EQUIPMENT

HULL & DECK: 2 Towing rings, 1 Bow D ring, 1 Self-bailer, 3 lifting points.

COMFORT: Removable thwart.

TUBE: 1 bow handle .

2 Carrying handles / 6 internal handles, Reinforced cone ends fishtails.

OTHER: Aluminum oars, Carrying bag, Foot pump, Repair kit / Owner's manual, Tank securing system .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder


OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller

Davit-launched sling kit
Launching wheels
Maneuver roller 2.10 X 0.24
Pressure gauge

TAXES

Eco contribution France -4m SR



A RIB IN A BAG


Once deflated, the Compact Cadet takes up very little space thanks to its folding transom (Zodiac Nautic patent); It simply fits flat in a specially designed bag. Its set up is extremely fast: simply inflate, install the oars and then to the water! Very light and rotproof, thanks to its RIMTEC (Reinforced Injection Molding Technology) manufacturing process, its hull Provides good stability: an exclusive Zodiac Nautic.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3m -9'10"	MAXIMUM PAYLOAD (CAT. B) (Kg-Lbs)	0
INSIDE LENGTH (m-ft)	2.02m -6'8"	NUMBER OF WATERTIGHT COMPARTMENTS	2
OVERALL BEAM (m-ft)	1.56m -5'1"	SHAFT	5
INSIDE BEAM (m-ft)	0.7m -2'4"	MAXIMUM ALLOWED POWER (HP)	10
TUBE DIAMETER (m-ft)	0.42 -1'5"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	52 - 115
WEIGHT NEO (Kg - Lbs)	48 - 106	BAG LENGTH (m - ft)	2.16m -7'1"
NUMBER OF PASSENGERS (CAT. C)	50	BAG WIDTH (m - ft)	0.9m -2'1"
NUMBER OF PASSENGERS (CAT. B-C)	4	BAG HEIGHT (m - ft)	0.3m -0'12"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	450 - 992		

VERSIONS

Cadet 300 Compact Strongan grey



STANDARD EQUIPMENT

HULL & DECK: 2 Towing rings, 1 Bow D ring, 1 Self-bailer, 3 lifting points.

COMFORT: Removable thwart.

TUBE: 1 bow handle .

2 Carrying handles / 6 internal handles, Reinforced cone ends fishtails.

OTHER: Aluminum oars, Carrying bag, Foot pump, Repair kit / Owner's manual, Tank securing system .

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

OTHER

12volt 240mb Inflator with pressure controller
12volt 800 mb Inflator with 450L/min pressure controller

Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m SR