

A NEW RANGE OF DINGHIES with ALUMIM HULL



Ultra light, they are easy to handle and do not need a big use of the davits of your yacht; the large diameter of the tubes emphasizes their stability and protection against sprays, and facilitates the ability to tube quickly to transport passengers and material, dry and safely! Their Strongan fabric and their welded assemblies ensures reliability in all events 5 models 240/270/300/330/360 - including full equipment, namely 1 under bench bag and 1 waterproof bag ; offered at very competitive prices.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.43m -8'0"	NUMBER OF WATERTIGHT COMPARTMENTS	3
INSIDE LENGTH (m-ft)	1.66m -5'5"	SHAFT	5
OVERALL BEAM (m-ft)	1.67m -5'6"	MAXIMUM ALLOWED POWER (HP)	6
INSIDE BEAM (m-ft)	0.78m -2'7"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	33 - 73
TUBE DIAMETER (m-ft)	0.41m -1'4"	PACKING LENGTH (m - ft)	2.1m -6'7"
BARE BOAT WEIGHT (Kg - Lbs)	33 - 73	PACKING WIDTH (m - ft)	1m -3'3"
NUMBER OF PASSENGERS (CAT. C)	3	PACKING HEIGHT	0.55m -1'10"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	298 - 657		

VERSIONS

Cadet Rib Alu 240 Light NEO
 Cadet Rib Alu 240 Light Strongan



STANDARD EQUIPMENT

HULL & DECK: 2 aft towing rings, Full keel protection, Lifting points, 1 Bow D ring .

COMFORT: Removable thwart.

TUBE: 2 external handles /8 internal handles.

Deflecting rubbing strake.

OTHER: 2 Stainless steel paddles, Engine support plate, Foot pump , Repair kit / Owner's manual , Under bench storage bag / Waterproof Zodiac bag.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m SR



A NEW RANGE OF DINGHIES with ALUMIM HULL



Ultra light, they are easy to handle and do not need a big use of the davits of your yacht; the large diameter of the tubes emphasizes their stability and protection against sprays, and facilitates the ability to tube quickly to transport passengers and material, dry and safely! Their Strongan fabric and their welded assemblies ensures reliability in all events 5 models 240/270/300/330/360 - including full equipment, namely 1 under bench bag and 1 waterproof bag ; offered at very competitive prices.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	2.73m - 8'10"	NUMBER OF WATERTIGHT COMPARTMENTS	3
INSIDE LENGTH (m-ft)	1,8m - 6'3"	SHAFT	5
OVERALL BEAM (m-ft)	1.67m - 5'6"	MAXIMUM ALLOWED POWER (HP)	10
INSIDE BEAM (m-ft)	0.78m - 2'7"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	51 - 112
TUBE DIAMETER (m-ft)	0.41m - 1'4"	PACKING LENGTH (m - ft)	2.3m - 7'7"
BARE BOAT WEIGHT (Kg - Lbs)	37 - 82	PACKING WIDTH (m - ft)	1.1m - 3'7"
NUMBER OF PASSENGERS (CAT. C)	4	PACKING HEIGHT	0.6m - 1'12"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	396 - 873		

VERSIONS

Cadet Rib Alu 270 Light NEO
 Cadet Rib Alu 270 Light Strongan



STANDARD EQUIPMENT

HULL & DECK: 2 aft towing rings, Full keel protection, Lifting points, 1 Bow D ring .

COMFORT: Removable thwart.

TUBE: 2 external handles /8 internal handles.

Deflecting rubbing strake.

OTHER: 2 Stainless steel paddles, Engine support plate, Foot pump ,
Repair kit / Owner's manual , Under bench storage bag / Waterproof Zodiac bag.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle



OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m SR



A NEW RANGE OF DINGHIES with ALUMIM HULL



Ultra light, they are easy to handle and do not need a big use of the davits of your yacht; the large diameter of the tubes emphasizes their stability and protection against sprays, and facilitates the ability to tube quickly to transport passengers and material, dry and safely! Their Strongan fabric and their welded assemblies ensures reliability in all events 5 models 240/270/300/330/360 - including full equipment, namely 1 under bench bag and 1 waterproof bag ; offered at very competitive prices.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.03m -9'11"	NUMBER OF WATERTIGHT COMPARTMENTS	3
INSIDE LENGTH (m-ft)	2.1m -6'11"	SHAFT	S
OVERALL BEAM (m-ft)	1.67m -5'6"	MAXIMUM ALLOWED POWER (HP)	15
INSIDE BEAM (m-ft)	0.78m -2'7"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	56 - 123
TUBE DIAMETER (m-ft)	0.41m -1'4"	PACKING LENGTH (m - ft)	2.7m -8'10"
WEIGHT (Kg-Lbs)	43 - 95	PACKING WIDTH (m - ft)	0.9m -8'11"
NUMBER OF PASSENGERS (CAT. C)	4+1	PACKING HEIGHT	0.55m -1'10"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	496 - 1093		

VERSIONS

Cadet Rib Alu 300 Light NEO
 Cadet Rib Alu 300 Light Strongan



STANDARD EQUIPMENT

HULL & DECK: 2 aft towing rings, Full keel protection, Lifting points, 1 Bow D ring .

COMFORT: Removable thwart.

TUBE: 2 external handles /8 internal handles.

Deflecting rubbing strake.

OTHER: 2 Stainless steel paddles, Engine support plate, Foot pump , Repair kit / Owner's manual , Under bench storage bag / Waterproof Zodiac bag.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle


OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m SR



A NEW RANGE OF DINGHIES with ALUMIM HULL



Ultra light, they are easy to handle and do not need a big use of the davits of your yacht; the large diameter of the tubes emphasizes their stability and protection against sprays, and facilitates the ability to tube quickly to transport passengers and material, dry and safely! Their Strongan fabric and their welded assemblies ensures reliability in all events 5 models 240/270/300/330/360 - including full equipment, namely 1 under bench bag and 1 waterproof bag ; offered at very competitive prices.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.63m -11'11"	NUMBER OF WATERTIGHT COMPARTMENTS	3
INSIDE LENGTH (m-ft)	2.7m -7'7"	SHAFT	5
OVERALL BEAM (m-ft)	1.67m -5'6"	MAXIMUM ALLOWED POWER (HP)	30
INSIDE BEAM (m-ft)	0.78m -2'7"	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	89 - 196
TUBE DIAMETER (m-ft)	0.41m -1'4"	PACKING LENGTH (m - ft)	3.15m -10'4"
BARE BOAT WEIGHT (Kg - Lbs)	50 - 110	PACKING WIDTH (m - ft)	1m -3'3"
NUMBER OF PASSENGERS (CAT. C)	6	PACKING HEIGHT	0.55m -1'11"
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	608 - 1340		

VERSIONS

Cadet Rib Alu 360 Light NEO
 Cadet Rib Alu 360 Light Strongan



STANDARD EQUIPMENT

HULL & DECK: 2 aft towing rings, Full keel protection, Lifting points, 1 Bow D ring .

COMFORT: Removable thwart.

TUBE: 2 external handles /8 internal handles.

Deflecting rubbing strake.

OTHER: 2 Stainless steel paddles, Engine support plate, Foot pump ,
Repair kit / Owner's manual , Under bench storage bag / Waterproof Zodiac bag.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle



OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m SR



A NEW RANGE OF DINGHIES with ALUMIM HULL



Ultra light, they are easy to handle and do not need a big use of the davits of your yacht; the large diameter of the tubes emphasizes their stability and protection against sprays, and facilitates the ability to tube quickly to transport passengers and material, dry and safely! Their Strongan fabric and their welded assemblies ensures reliability in all events 5 models 240/270/300/330/360 - including full equipment, namely 1 under bench bag and 1 waterproof bag ; offered at very competitive prices.

TECHNICAL FEATURES

OVERALL LENGTH (m-ft)	3.33	NUMBER OF WATERTIGHT COMPARTMENTS	3
INSIDE LENGTH (m-ft)	2.3	SHAFT	S
OVERALL BEAM (m-ft)	1.67	MAXIMUM ALLOWED POWER (HP)	15
INSIDE BEAM (m-ft)	0.78	MAX. ALLOWED ENGINE WEIGHT (Kg-Lbs)	56
TUBE DIAMETER (m-ft)	0.41	PACKING LENGTH (m - ft)	2.9
BARE BOAT WEIGHT (Kg - Lbs)	47	PACKING WIDTH (m - ft)	1
NUMBER OF PASSENGERS (CAT. C)	5	PACKING HEIGHT	0.55
MAXIMUM PAYLOAD (CAT. C) (Kg-Lbs)	551		

VERSIONS

Cadet Rib Alu 330 Light NEO
 Cadet Rib Alu 330 Light Strongan



STANDARD EQUIPMENT

HULL & DECK: 2 aft towing rings, Full keel protection, Lifting points, 1 Bow D ring .

COMFORT: Removable thwart.

TUBE: 2 external handles /8 internal handles.

Deflecting rubbing strake.

OTHER: 2 Stainless steel paddles, Engine support plate, Foot pump , Repair kit / Owner's manual , Under bench storage bag / Waterproof Zodiac bag.

OPTIONS & ACCESSORIES

COMFORT

Bag under bench
Side rigid boarding ladder

FISHING & LEISURE

Fishing rod holder

HULL & DECK

Lifting sling kit/towing bridle

OTHER

12volt 240mb Inflator with pressure controller

12volt 800 mb Inflator with 450L/min pressure controller
Davit-launched sling kit
Launching wheels
Pressure gauge

TAXES

Eco contribution France -4m SR